DISPLAY
connect your world

Temperature Measuring Disinfection & Face Recognition All-in-one Tablet

Temperature Measuring Disinfection & Face Recognition All-in-one Tablet

Introduction

Coronavirus broke out all over the world and brought great threats to people's lives. therefore, we integrated the functions of temperature measurement, face recognition, access control management and fast automatic hand washing into one machine, which can better help people to measure body temperature and wash hands in daily life,, so as to better protect themselves.

Temperature Measuring Disinfection & Face Recognition All-in-one Tablet

Product Pictures

Temperature Measuring Disinfection & Face Recognition All-in-one Tablet

Product Characteristics

AUTOMATIC DETECTION

MASK RECOGNITION

SMART VOICE

IDENTITY VERIFICATION

MULTI-LANGUAGE

DATA MANAGEMENT

WASH HANDS

Temperature Measuring Disinfection & Face Recognition All-in-one Tablet

Product Advantages

- Adopt high-performance intelligent processor, face recognition algorithm based on deep learning, greatly improve the rate of face capture

- Support real-time temperature detection and high temperature alarm.

- Support face optimization, face enhancement and face exposure to improve imaging quality

- Support live anti-counterfeiting, based on facial biometric recognition, can not be replaced and copied to prevent counterfeiting operations.

Temperature Measuring Disinfection & Face Recognition All-in-one Tablet

Features

- The integrated design is adopted to ensure the safety and reliability of the equipment, and provide guarantee for the accuracy of identity verification.
- Support witness card identification and stranger warning function.
- The face recognition all-in-one machine supports personalized customization.
- Support cloud and local identification.
- Support to adjust the recognition distance.
- Equipped with offline and online 10,000 face database to support massive historical record storage.

- Fast and efficient, with high recognition accuracy and fast verification speed.
- Non-contact identification is completely different from fingerprints and punching methods, frees hands, and does not require special cooperation to have a strong sense of experience.
- Voice broadcast, user-friendly touch screen, simple and stylish interface.
- HD color screen and high resolution.
- Heat dissipation hole and speaker sound: The sound quality of the speaker is high, and the heat dissipation hole for the ventilation of machine temperature.
- Support multi language switching, high-definition voice prompts.
- Support USB disk download and self-service report.

Temperature Measuring Disinfection & Face Recognition All-in-one Tablet

Face Recognition Temperature Measurement

Face recognition

Large recording Capacity

Free software

Dynamic camera

Temperature Measuring Disinfection & Face Recognition All-in-one Tablet

Support for Face Recognition Card Swiping

Support multiple recognition methods such as recognizing face and swiping card, recognizing face or swiping card, recognizing face only, swiping card only

Temperature Measuring Disinfection & Face Recognition All-in-one Tablet

Hand Disinfection

- Hand infrared induction, disinfectant intelligent quantitative liquid refinement spray.
- Intelligent sense, zero contact to avoid the risk of cross infection.
- The disinfectant sprayer is made of ABS material, which is environmentally friendly and safe, corrosion resistant, insulating current and not easy to be deformed.
- Hand 1000ml large capacity tank, long-term use, disinfectant easy to change.

Temperature Measuring Disinfection & Face Recognition All-in-one Tablet

Hand Disinfection

Temperature Measuring Disinfection & Face Recognition All-in-one Tablet

Product Size

300mm

200mm

1610mm

735mm

1130mm

240mm

Temperature Measuring Disinfection & Face Recognition All-in-one Tablet

Big Date Screen

# Temperature Measuring Disinfection & Face Recognition All-in-one Tablet

## Interface Description

USB 2.0 interface

USB 2.0 interface

12V power input

NC
COM

Switch signal

GND
WG-D0
WG-D1
232-TX
232-RX

Wiegand output
（232 signals）

Reset / Reset button

WG-D0
WG-D1
GND
12V

Wiegand input

Temperature Measuring Disinfection & Face Recognition All-in-one Tablet

Applications

School	Office	Airport
Hospital	Hotel	Community
Transportation	Supermarket	Public Area

Suitable for public area

Safer, cleaner for your life

www.onedisplay.net

 onedisplay6

 @OneDisplay1

 One Display Limited

 One Display

 OneDisplay